



FIG. 1



Parameter	Value	Unit	Source
α	0.001	cm ² /s	Table 1
β	0.001	cm ² /s	Table 1
γ	0.001	cm ² /s	Table 1
δ	0.001	cm ² /s	Table 1
ϵ	0.001	cm ² /s	Table 1
ζ	0.001	cm ² /s	Table 1
η	0.001	cm ² /s	Table 1
θ	0.001	cm ² /s	Table 1
ι	0.001	cm ² /s	Table 1
κ	0.001	cm ² /s	Table 1
λ	0.001	cm ² /s	Table 1
μ	0.001	cm ² /s	Table 1
ν	0.001	cm ² /s	Table 1
ξ	0.001	cm ² /s	Table 1
\omicron	0.001	cm ² /s	Table 1
π	0.001	cm ² /s	Table 1
ρ	0.001	cm ² /s	Table 1
σ	0.001	cm ² /s	Table 1
τ	0.001	cm ² /s	Table 1
υ	0.001	cm ² /s	Table 1
ϕ	0.001	cm ² /s	Table 1
χ	0.001	cm ² /s	Table 1
ψ	0.001	cm ² /s	Table 1
ω	0.001	cm ² /s	Table 1
φ	0.001	cm ² /s	Table 1
ϑ	0.001	cm ² /s	Table 1
ϖ	0.001	cm ² /s	Table 1
ς	0.001	cm ² /s	Table 1
η	0.001	cm ² /s	Table 1
θ	0.001	cm ² /s	Table 1
ι	0.001	cm ² /s	Table 1
κ	0.001	cm ² /s	Table 1
λ	0.001	cm ² /s	Table 1
μ	0.001	cm ² /s	Table 1
ν	0.001	cm ² /s	Table 1
ξ	0.001	cm ² /s	Table 1
\omicron	0.001	cm ² /s	Table 1
π	0.001	cm ² /s	Table 1
ρ	0.001	cm ² /s	Table 1
σ	0.001	cm ² /s	Table 1
τ	0.001	cm ² /s	Table 1
υ	0.001	cm ² /s	Table 1
ϕ	0.001	cm ² /s	Table 1
χ	0.001	cm ² /s	Table 1
ψ	0.001	cm ² /s	Table 1
ω	0.001	cm ² /s	Table 1
φ	0.001	cm ² /s	Table 1
ϑ	0.001	cm ² /s	Table 1
ϖ	0.001	cm ² /s	Table 1
ς	0.001	cm ² /s	Table 1
η	0.001	cm ² /s	Table 1
θ	0.001	cm ² /s	Table 1
ι	0.001	cm ² /s	Table 1
κ	0.001	cm ² /s	Table 1
λ	0.001	cm ² /s	Table 1
μ	0.001	cm ² /s	Table 1
ν	0.001	cm ² /s	Table 1
ξ	0.001	cm ² /s	Table 1
\omicron	0.001	cm ² /s	Table 1
π	0.001	cm ² /s	Table 1
ρ	0.001	cm ² /s	Table 1
σ	0.001	cm ² /s	Table 1
τ	0.001	cm ² /s	Table 1
υ	0.001	cm ² /s	Table 1
ϕ	0.001	cm ² /s	Table 1
χ	0.001	cm ² /s	Table 1
ψ	0.001	cm ² /s	Table 1
ω	0.001	cm ² /s	Table 1
φ	0.001	cm ² /s	Table 1
ϑ	0.001	cm ² /s	Table 1
ϖ	0.001	cm ² /s	Table 1
ς	0.001	cm ² /s	Table 1
η	0.001	cm ² /s	Table 1
θ	0.001	cm ² /s	Table 1
ι	0.001	cm ² /s	Table 1
κ	0.001	cm ² /s	Table 1



4/11

FIG. 4B





FIG. 4A



201110-69124001




FIG. 5




FIG. 6






FIG. 10




FIG. 11A




FIG. 11B





FIG. 11C




FIG. 11D




FIG. 12A




FIG. 12B




FIG. 13

FIG. 14A




FIG. 14B




FIG. 15




FIG. 16



FIG. 17




FIG. 18




FIG. 19





FIG. 20



11/11

FIG. 21A




FIG. 21B

